




ELD Rider

ELD Installation and Connection



9:41



Dashboard




ON

ON DUTY
2 hr 6 min


5538876
(••) Connected

Log edits
Wednesday Aug 10



05:54

BREAK




11:00

DRIVE



11:54

SHIFT



60:36

CYCLE

Table of Contents


Installation & Connection

Install the ELD Rider device in your vehicle	3
Install the ELD Rider App	4
Login to the ELD Rider App and select a vehicle	4-5
Complete Pre-Trip DVIR	6-8
Populate Log Form Data	9-10
Connect your mobile device to the ELD Rider device	11-12
Record Hours of Service	13


Installation & Connection

Install the ELD Rider device in your vehicle


1. With engine off, locate the diagnostic port inside the vehicle. It is located in one of the four places:



2. Attach the device to the diagnostic port of the vehicle.



3. Once the device is installed, ensure the device is working properly as evidenced by a green LED light blinking. The green light starts blinking after a GPS & Cellular connection is initiated.




4. Mount your device away from electrical components (they may cause interference).

Installation & Connection

Install the ELD Rider App

1. For android phones and tablets download the ELD Rider App from Google Play Store. For iPhones and iPads download the ELD Rider App from the App Store.
2. Open the ELD Rider App.




Login to the ELD Rider App and select a vehicle

Read the login details from your email. If you don't have login details yet, or you've forgotten them, contact your Carrier administrator.

1. Enter your login details and tap **LOG IN**, you will be prompt with Terms and Conditions.
2. Read the Terms and Conditions and tap **AGREE**.
3. Select your vehicle from the list, or search for one.
4. Tap **ACCEPT**, you will be prompt with a Settings page where you can review and edit settings details.
5. Tap **SAVE**.

! Dashboard View


After successfully login & vehicle selection, the Dashboard page is open. Use **Tap to Connect** bar to connect to your vehicle.



Installation & Connection


Complete Pre-Trip DVIR

Start a new pre-trip inspection report by tapping the **DVIR** button.




You can also Start Inspection from the left side menu by tapping the DVIR option.

1. From DVIR view, enter the odometer value and tap **Start Inspection**, if you are in **Off Duty** or **Sleeper Berth** status you will be placed to **On Duty** status. Pre-trip is selected by default.




2. Tap **Add/Remove** under Vehicle Defects and review each item from the list against your vehicle.



The screenshot shows a mobile application interface for a DVIR form. At the top, there are two tabs: 'Pre-Tip' (selected) and 'Post-Tip'. Below the tabs, there are three input fields: 'VIN' with the value 'WS3KN3U33A334456', 'Odometer', and 'Location' with the value 'San Francisco'. Underneath these fields is a section titled 'Vehicle Defects' which currently displays 'No Defects Found'. A blue button labeled 'Add/Remove' is located to the right of the 'Vehicle Defects' section and is highlighted with a yellow circle.

3. If you identify a defect, select the appropriate defect in the list and enter a comment and photo. Tap **Save**.



The screenshot shows the 'Front' section of the DVIR form. It features a list of five items, each with an unchecked checkbox and a dropdown arrow: 'Headlights', 'Flashers', 'Fog Lights', 'Marker Lights', and 'Engine Compartment'. At the bottom of the screen, a blue button labeled 'Save' is highlighted with a yellow circle. The top of the screen shows the time '9:41', a hamburger menu icon, the title 'DVIR', and notification icons for a call and a bell.

4. If Trailer is applicable, repeat step 2 and 3 under Trailer Defects.
5. Tap **Sign and Save the Report**.



The image shows a mobile application interface for reporting defects. It consists of several sections:

- Odometer:** A grey rectangular field at the top.
- Location:** A grey rectangular field containing the text "San Francisco".
- Vehicle Defects:** A white rectangular field with the text "Vehicle Defects" on the left and a blue "Add/Remove" button on the right. Below this, the text "No Defects Found" is centered.
- Trailer Defects:** A white rectangular field with the text "Trailer Defects" on the left and a blue "Add/Remove" button on the right. Below this, the text "No Defects Found" is centered.
- Sign and Save the Report:** A large blue button at the bottom, outlined with a thick orange border.

Installation & Connection


Populate Log Form Data

Select **Trailer/Docs** button from your Dashboard to add the Trailer/Shipping Docs number.




Trailers & Shipping Docs are also available through the Logs folder.

1. From your Dashboard view, tap the ☰ icon.
2. Select **Logs**.
3. Tap the daily log at the top of the list.



4. Scroll down (to the bottom of the screen) and tap the **Trailer** or **Shipping Docs** field.
5. Enter your trailer or shipping doc numbers. You will see "Trailer saved" OR "Shipping Docs saved" confirmation message.




Installation & Connection

Connect your mobile device to the ELD Rider device


! Enable Bluetooth

Please ensure that Bluetooth is enabled on your device before you connect to the ELD Rider device.


In the main Dashboard view there is **Tap to Connect** bar - just below the vehicle number



1. Use **Tap to Connect** bar to connect to your vehicle. The device will attempt to connect to selected vehicle ELD via Bluetooth. ELD bar will change from red to orange: **Pairing**.



2. An icon (📶) will appear in connection bar upon successful connection.



✓ **Ready to Drive**


Once you've completed all of the pre-trip tasks in this section, you're ready to drive.

When your vehicle is moving at 5 MPH or greater, your duty status will automatically switch to **Driving**, in accordance with the ELD mandate.


Installation & Connection

Record Hours of Service


1. When your vehicle reaches 5 MPH or greater, ELD Rider is indicating that vehicle is **In Motion** and your duty status will automatically change to **Driving**.



2. When the vehicle stops (0 MPH) it's considered **Stationary**.



3. You can change your duty status by tapping the **Driving** and selecting some other duty status.
4. If your vehicle remains **Stationary** for five minutes you will be prompted with a question if you would like to change your duty status. If you ignore this question your duty status will be changed to **On Duty**.



ELD Rider